

BALM OF GILEAD CENTER SYMPTOMS

Patient: _____ MR: _____ Dx:

Problem List:

Allergies:

Medications:

BALM OF GILEAD CENTER SYMPTOM SHEET

Patient:

MR:


Dx:

Date									
Temp									
BP									
Pulse/Resp									
Asthenia									
Pain									
Anorexia									
Dysphasia									
Nausea/Vomiting									
Bowel Function									
Delirium									
Sedation									
Dyspnea									
Skin integrity									
Other									
WBC									
Hgb/Hct									
Platelet count									
Sodium									
Potassium									
BUN									
Glucose									
Creatinine									
Calcium									
Albumin									
Alk phos									
Bilirubin									

Initial assessment note:

BALM GILEAD CENTER SYMPTOM CHARTING CODES

<u>Asthenia</u> 0 – No decrease in physical activity 1 – Ambulates in room, house and/or yard 2 - > 50% of day in chair 3 - > 50% of day in bed 4 – Bed-bound 5 – Unable to turn in bed without help	<u>Delirium</u> 0 – Well-oriented 1 – Disturbance of wake/sleep pattern 2 – Thought/memory/concentration disturbance 3 – Intermittent disorientation to person/time/space 4 – Ince. or decr. motor activity 5 – Continual disorientation
--	--



<u>Anorexia</u> 0 – No decrease/problems with appetite 1 – Decrease in eating/taste changes 2 – Small meals 3x/day 3 – Tolerates small amounts food/drink 4 – Fluids only 5 – Not eating or drinking	<u>Sedation</u> 0 – Well-oriented 1 – Disturbance of wake/sleep pattern 2 – Thought/memory/concentration disturbance 3 – Intermittent disorientation to person/time/space 4 – Incr. or decr. motor activity 5 – Continual disorientation																					
<u>Dysphasia</u> 0 – No difficulty swallowing 1 – Avoids certain foods/special prep 2 – Difficulty chewing/liquids best 3 – Coughing when eating 4 – Painful swallowing 5 – Can't swallow at all	<u>Dyspnea</u> 0 – No shortness of breath (SOB) 1 – SOB on hurrying or walking on incline 2 – Walks slower than same-aged people due to SOB 3 – Must stop for breath on level ground 4 – Stops freq. to catch breath crossing room 5 – Gets breathless while dressing																					
<u>Nausea/Vomiting</u> 0 – No nausea 1 – Nausea qd 2 – Nausea bid or more 3 – Nausea/vomiting qu 4 – Nausea vomiting bid or more 5 – Very frequent N & V	<u>Skin integrity</u> 0 – No breakdown 1 – Reactive hyperemia 2 – Blister/eschar formation 3 – Superficial ulceration of skin/sq tissue 4 – Ulceration extending down to muscle 5 – Deep ulcer to bone joint structure																					
<u>Bowel Function</u> 0 – Normal bowel function 1 – Less than 3 loose stools/day 2 – 3 or more loose stools/day 3 – Constipation –1 BM q3days 4 – Constipation –1 BM q wk 5 – Bowel obstruction	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">WBC 4000-11000</td> <td style="width: 25%;">BUN</td> <td style="width: 25%;">6-19</td> </tr> <tr> <td>Hgb 12-15.2</td> <td>Glucose</td> <td>70-105</td> </tr> <tr> <td>Hct 34-44</td> <td>Creat</td> <td>0.4-1.2</td> </tr> <tr> <td>Plt ct. 120K-400K</td> <td>Calcium</td> <td>8.4-10.2</td> </tr> <tr> <td>Na 133-145</td> <td>Albumin</td> <td>3.9-4.8</td> </tr> <tr> <td>K 3.3-5.1</td> <td>Alk Phos</td> <td>39-117</td> </tr> <tr> <td></td> <td>Bilirubin</td> <td>0.1-1.0</td> </tr> </table>	WBC 4000-11000	BUN	6-19	Hgb 12-15.2	Glucose	70-105	Hct 34-44	Creat	0.4-1.2	Plt ct. 120K-400K	Calcium	8.4-10.2	Na 133-145	Albumin	3.9-4.8	K 3.3-5.1	Alk Phos	39-117		Bilirubin	0.1-1.0
WBC 4000-11000	BUN	6-19																				
Hgb 12-15.2	Glucose	70-105																				
Hct 34-44	Creat	0.4-1.2																				
Plt ct. 120K-400K	Calcium	8.4-10.2																				
Na 133-145	Albumin	3.9-4.8																				
K 3.3-5.1	Alk Phos	39-117																				
	Bilirubin	0.1-1.0																				

Patient:

MR:

Dx:

Social Services

Spiritual

Emotional

Discharge Planning
